

Accreditor Card

"GK "Electroshield" - TM Samara" Testing Center

RAL Record number: RA.RU.21ЮП01

Date of entry: November 14, 2017

Testing Lab Type

ИЧ EP No

Accreditor

ACTIVE

Status

Active

Date of entry information about the accreditor into the Register

November 14, 2017

Entered into the National part of the Unified Register

No

Accreditor Type

Testing Laboratory

Standard name

GOST ISO/IEC 17025-2019 Common requirements to the competence of testing and calibrating laboratories

Unique accreditation record number in the Accreditor Register

RA.RU.21ЮП01

Accreditor Name

Testing center of "GK "Electroshield" - TM Samara"

Accreditor abbreviated name

"GK "Electroshield" - TM Samara" Testing Center

Full name of the Accreditor Director

Alexey Valerievich Mochalov

Position of the the Accreditor Director

The Chief

The Accreditor phone number

+7 8462762895

The Accreditor email:

Alexey.Mochalov@electroshield.ru

Place of activity

443048, Samara, Samara region, RUSSIA, Krasnaya Glinka, the Building of the Plant Management of "Electroshield"

id: 747828

Accreditor Card

"GK "Electroshield" - TM Samara" Testing Center

RAL Record number: RA.RU.21ЮП01

Date of entry: November 14, 2017

Testing Lab Type

ИЧ EP No

Description of the accreditation scope

ACTIVE

[Reduction of C-266 accreditation scope dated January 31, 2022](#)

• WITHOUT A CONFIGURATOR

Scanned copy of the accreditation scope

Область.pdf

[Reduction of C-1438 accreditation scope dated July 28, 2020](#)

• WITHOUT A CONFIGURATOR

Scanned copy of the accreditation scope

stamp.pdf

Confirmation of PK3-98 competence dated April 28, 2020

- **WITHOUT A CONFIGURATOR**

Scanned copy of the accreditation scope

17155-ГУ OA.pdf

Reduction of PFD/S-6 accreditation scope dated August 23, 2019

- **WITHOUT A CONFIGURATOR**

Scanned copy of the accreditation scope

Приложение к ПФО_С-6.pdf

Description of the accreditation scope

Determination of the IP degree of protection for compliance with the IPX5 and IPX6 codes in accordance with the requirements of GOST 14254-2015 Clauses 14.2.5, 14.2.6.

Expansion of PK2-214 accreditation scope dated March, 26 2019

- **WITHOUT A CONFIGURATOR**

Scanned copy of the accreditation scope

POA № 15373-ГУ.pdf

Description of the accreditation scope

Testing of KRU (KSO) switchgears, packaged transformer substations, AC load-breakers for voltage from 3 to 10 kV, AC circuit breakers for voltage from 3 to 750 kV, AC disconnecting switches and earthing devices for voltage over 1 kV, LV circuit breakers for household and industrial use, current transformers, voltage transformers, LV power complete devices in terms of electrical safety, the environment climatic aspects influence.

OKPD 2 Codes

27.11.4, 27.11.42, 27.11.43, 27.12.10.110, 27.12.10.120, 27.12.10.190, 27.12.31

Tariff numbers

8504210000,8504220000, 8504310000,8504312100, 8535210000, 8535290000, 8535309000, 8535309009, 8536200000, 8537100000, 8537200000, 8543129000

Confirmation of PK2-214 competence dated March 26, 2019

- **WITHOUT A CONFIGURATOR**

Scanned copy of the accreditation scope

VOA № 15373-ГУ.pdf

Aa-1156 accreditation Dated November 14, 2017

- **WITHOUT A CONFIGURATOR**

Scanned copy of the accreditation scope

9018-ГУ OA.pdf

Description of the accreditation scope

Testing of packaged transformer substations (PTS), switchgears, HV power circuit breakers, HV disconnecting switches and earthing devices, isolating switches and short-circuit switches, current transformers, voltage transformers and power transformers, LV packaged control units, distribution of electrical energy and protection of stations, substations, networks and systems, power transformers of voltage class up to 10 kV under functional and safety indicators.

Tariff numbers

8504000000, 8537200000, 8535210000, 8535290000, 853530900, 8535309009, 8543129000, 8537100000

OKPD Codes

27, 27.11, 27.11.4, 27.12, 27.12.10.110, 27.12.10.120

Accreditor Card

"GK "Electroshield" - TM Samara" Testing Center

RAL Record number: RA.RU.21101101

Date of entry: November 14, 2017

Testing Lab Type

HЧ EP No

Accreditation

ACTIVE

Number of the accreditation decision

Aa-1156

Date of the accreditation decision

November 14, 2017

Full name of the accreditation expert

[Sergey Petrovich Zheludko](#)

Registration number of the entry in the register of accreditation experts

00848

Expert organization

["Expert Community "Eligos" LLC](#)

ACCREDITATION SCOPE

• WITHOUT A CONFIGURATOR

Scanned copy of the accreditation scope

9018-ГУ OA.pdf

Description of the accreditation scope

Testing of packaged transformer substations (PTS), switchgears, HV power circuit breakers, HV disconnecting switches and earthing devices, isolating switches and short-circuit switches, current transformers, voltage transformers and power transformers, LV packaged control units, distribution of electrical energy and protection of stations, substations, networks and systems, power transformers of voltage class up to 10 kV under functional and safety indicators.

Tariff numbers

8504000000, 8537200000, 8535210000, 8535290000, 853530900, 8535309009, 8543129000, 8537100000

OKPD Codes

27, 27.11, 27.11.4, 27.12, 27.12.10.110, 27.12.10.120

Accreditor Card

"GK "Electroshield" - TM Samara" Testing Center

RAL Record number: RA.RU.21ЮП01

Date of entry: November 14, 2017

Testing Lab Type

ИЧ EP No

Public services

ACTIVE

Reduction of the accreditation scope

C-266 dated January 31, 2022

The basis for reduction of the accreditation scope

Upon application

Number of the decision to reduce the accreditation scope

C-266

Date of the decision to reduce the accreditation scope

January 31, 2022

ACCREDITATION SCOPE

• WITHOUT A CONFIGURATOR

Scanned copy of the accreditation scope

Making amendments. Other amendments

IZ-4 dated February 09, 2021

Number of the decision to make amendments

IZ-4

Date of the decision to make amendments

February 09, 2021

Reduction of the accreditation scope

C-1438 dated July 28, 2020

The basis for reduction of the accreditation scope

Upon application

Number of the decision to reduce the accreditation scope

C-1438

Date of the decision to reduce the accreditation scope

July 28, 2020

ACCREDITATION SCOPE

• WITHOUT A CONFIGURATOR

Scanned copy of the accreditation scope

Making amendments. Changing the place of activity

PK3-98 dated April 28, 2020

Number of the decision to make amendments

PK3-98

Date of the decision to make amendments

April 28, 2020

Address(es) of the old place(s) of activity in the RAL where activity is terminated

443000, Samara, Samara region, RUSSIA, Krasnoglinsky district, Moscow highway, 20, BUILDING 75A

Address of a new place of activity

443048, Samara, Samara region, RUSSIA, Krasnaya Glinka, the Building of the Plant Management of "Electroshield"

Full name of the accreditation expert

[Galina Evgenievna Larionova](#)

Registration number of the entry in the register of accreditation experts

00837

Expert organization

["LABORATORY PRACTIKA" LLC](#)

Competence confirmation

PK3-98 dated April 28, 2020

The basis for passing the confirming competence procedure

Clause 2 part 1 Article 24 412-FZ - the competence shall be confirmed at least once every two years, starting from the date of passing the previous confirming competence procedure

Number of the decision on passing the competence confirmation procedure

PK3-98

Date of the decision to pass the competence confirmation procedure

April 28, 2020

The result of the competence confirmation

Clause 3 part 19 Article 24 of Federal Law No. 412-FZ concerning sending a list of Accreditor non-compliances with the accreditation criteria with an indication of the deadline for their elimination to the Accreditor if the fact of elimination of the identified Accreditor non-compliances with the accreditation criteria can be established during the implementation of federal state control over the activities of Accreditors in the form of documentary verification

Full name of the accreditation expert

[Galina Evgenievna Larionova](#)

Registration number of the entry in the register of accreditation experts

00837

Expert organization

["LABORATORY PRACTIKA" LLC](#)

ACCREDITATION SCOPE

• WITHOUT A CONFIGURATOR

Scanned copy of the accreditation scope

17155-ГY OA.pdf

Number of the decision to make amendments

IZ-10

Date of the decision to make amendments

April 16, 2020

Making amendments. Other amendments

IZ-10 dated April 16, 2020

Competence confirmation

PK2-214 dated March 26, 2019

The basis for passing the confirming competence procedure

Clause 1 part 1 Article 24 412-FZ - competence confirmation during the first year from the date of accreditation

Number of the decision on passing the competence confirmation procedure

PK2-214

Date of the decision to pass the competence confirmation procedure

March 26, 2019

The result of the competence confirmation

Clause 2 part 19 Article 24 of the Federal Law No. 412-FZ on the suspension of accreditation in respect of the entire accreditation scope or a certain part of the accreditation scope and sending a list of non-compliance with the accreditation criteria with an indication of the period for their elimination to the Accreditor if the fact of elimination of the identified Accreditor non-compliance with the accreditation criteria can only be established when exercising federal state control over the activities of Accreditors in the form of an on-site inspection

Full name of the accreditation expert

[Yulia Vladimirovna Druzhinina](#)

Registration number of the entry in the register of accreditation experts

00276

Expert organization

["Expert Center" LLC](#)

Technical expert

[Alexey Dmitrievich Pendyurin](#)

ACCREDITATION SCOPE

• WITHOUT A CONFIGURATOR

Scanned copy of the accreditation scope

VOA № 15373-ГУ.pdf

Expanding the accreditation scope

PK2-214 dated March 26, 2019

Number of the decision to expand the accreditation scope

PK2-214

Date of the decision to expand the accreditation scope

March 26, 2019

Full name of the accreditation expert

[Yulia Vladimirovna Druzhinina](#)

Registration number of the entry in the register of accreditation experts

00276

Expert organization

["Expert Center" LLC](#)

Technical expert

[Alexey Dmitrievich Pendyurin](#)

ACCREDITATION SCOPE

• WITHOUT A CONFIGURATOR

Scanned copy of the accreditation scope

POA № 15373-ГУ.pdf

Description of the accreditation scope

Testing of KRU (KSO) switchgears, packaged transformer substations, AC load-breakers for voltage from 3 to 10 kV, AC circuit breakers for voltage from 3 to 750 kV, AC disconnecting switches and earthing devices for voltage over 1 kV, LV circuit breakers for household and industrial use, current transformers, voltage transformers, LV power complete devices in terms of electrical safety, the environment climatic aspects influence.

OKPD 2 Codes

27.11.4, 27.11.42, 27.11.43, 27.12.10.110, 27.12.10.120, 27.12.10.190, 27.12.31

Tariff numbers

8504210000,8504220000, 8504310000,8504312100, 8535210000, 8535290000, 853530900, 8535309009, 8536200000, 8537100000, 8537200000, 8543129000

Partial suspension of accreditation

PK2-214 dated March 26, 2019

Number of the decision on suspension of accreditation

PK2-214

Date of the decision on suspension of accreditation

March 26, 2019

Grounds for suspension

The Accreditor non-compliance with the accreditation criteria inspected due to the procedure for confirming the Accreditor competence

ACCREDITATION SCOPE

• WITHOUT A CONFIGURATOR

Description of the accreditation scope

Determination of the IP degree of protection for compliance with the IPX5 and IPX6 codes in accordance with the requirements of GOST 14254-2015 Clauses 14.2.5, 14.2.6.

Accreditor Card

"GK "Electroshield" - TM Samara" Testing Center

RAL Record number: RA.RU.21HOPI01

Date of entry: November 14, 2017

Testing Lab Type

HЧ EP No

Control

ACTIVE

State Control

PFO/108-P-VD dated June 29, 2020

• DETAILS ABOUT THE VERIFICATION OF THE VERIFICATION ACTIVITY

Type of verification

Documentary

Number of the decision of conducting verification

PFO/108-P-VD

Date of the decision of conducting verification

June 29, 2020

Number of the report drawn up based on the results of the verification

PFO/123-ADP

Date of the report drawn up based on the results of the verification

July 30, 2020

• INSTRUCTIONS TO RECTIFY DISCOVERED VIOLATIONS no data

• REPORTS ON ADMINISTRATIVE VIOLATIONS no data

• RULING ORDERING ADMINISTRATIVE PUNISHMENT no data

Renewal of accreditation

PFO/IZ-62 dated August 23, 2019

Number of the decision on the renewal of accreditation

PFO/IZ-62

Date of the decision to renew the accreditation

August 23, 2019

Reduction of the accreditation scope

PFO/S-6 dated August 23, 2019

The basis for reduction of the accreditation scope

Repeated non-elimination of inconsistencies as a result of suspension in terms of the accreditation scope

Number of the decision to reduce the accreditation scope

PFO/S-6

Date of the decision to reduce the accreditation scope

August 23, 2019

ACCREDITATION SCOPE

• **WITHOUT A CONFIGURATOR**

Scanned copy of the accreditation scope

Приложение к ПФО_С-6.pdf

Description of the accreditation scope

Determination of the IP degree of protection for compliance with the IPX5 and IPX6 codes in accordance with the requirements of GOST 14254-2015 Clauses 14.2.5, 14.2.6.

State Control

PFO/71-P-VD dated July 25, 2019

• **DETAILS ABOUT THE VERIFICATION OF THE VERIFICATION ACTIVITY**

Type of verification

Documentary

Number of the decision of conducting verification

PFO/71-P-VD

Date of the decision of conducting verification

July 25, 2019

Number of the report drawn up based on the results of the verification

PFO/78-ADP

Date of the report drawn up based on the results of the verification

August 22, 2019

- **INSTRUCTIONS TO RECTIFY DISCOVERED VIOLATIONS** no records
- **REPORTS ON ADMINISTRATIVE VIOLATIONS** no records
- **RULING ORDERING ADMINISTRATIVE PUNISHMENT** no records

Accreditor Card

"GK "Electroshield" - TM Samara" Testing Center

RAL Record number: RA.RU.21ЮП01

Date of entry: November 14, 2017

Testing Lab Type

ИЧ EP No

Applicant

ACTIVE

Type of applicant

Legal entity

Legal entity form

Private joint stock company

Full name of the legal entity

STOCK COMPANY "GROUP OF COMPANIES "ELECTROSHIELD" - TM SAMARA"

Abbreviated name of the legal entity

"GK "ELECTROSHIELD" - TM SAMARA"

TIN of the legal entity

6313009980

RRC of a legal entity

631301001

OGRN of a legal entity

1036300227787

Place of business address of the legal entity

443048, SAMARA, SAMARA REGION, RUSSIA, TERRITORY OF JSC ELECTROSHIELD

Name of the tax authority

Inspection Office of the Federal Tax Service for the Krasnoglinsky district of Samara

Date of registration with the tax authority

July 17, 2003

Full name of the legal entity Head

Vladimir Vitalievich Shatunin

Position of the legal entity Head

General Director of the managing company

The legal entity phone number

+7 8463735000

The legal entity email

info@electroshield.ru